THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE

IEE PROCEEDINGS-I

Solid-State and Electron Devices

Vol. 134, 1987

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

IEE Proceedings Part I

Solid-State and Electron Devices

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

Volume 134 1987 UK ISSN 0143–7100

HONORARY EDITORS

Prof. H. Kemhadjian (*University of Southampton*)
Dr. J. A. Barnard (*Barnard Microsystems Ltd.*)

Pages in issues of *IEE Proceedings Part I*, 1987

Pages	Issue No.	Date
1–44	1	February
45–76	2	April
77–104	3	June
105–136	4	August
137–160	5	October
161–176	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7100/87 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling change of 50p per page, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELDN G; facsimile: 01 240 7735

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1987. The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Assistant Editors:* James Newall and Matthew Bacon
Graphics Manager: Maurice Partridge

Typeset by: Santype International Ltd., Salisbury, Wilts., United Kingdom
Printed by: Unwin Brothers Ltd., Old Woking, Surrey, United Kingdom

Index

IEE Proceedings Part I
Solid-State and Electron Devices
Vol. 133, 1986

ABBREVIATIONS

p paper, address or lecture
d discussion on a paper
a abstract of paper or address
e errata

Author index

A

Abboud, J., and Hardisty, H. see Hardisty, H.
Abreu Santos, H., Azevedo, J.L., Neves, G., and Baptista, A. see Azevedo, J.L.
Abreu Santos, H., and Fernandes, C.F. see Fernandes, C.F.
Abuelma'atti, M.T. Modelling the DC characteristics of thyristors for computer-aided design p159
Al-Bustani, A. Bulk unipolar transistors in the limit of nonpunch-through p116
Al-Bustani, A., and Board, K. Bulk unipolar diodes in the limit of large *p*-region widths p17
Al-Bustani, A.A., and Rees, P.K. Versatile GaAs triangular barrier transistor structure grown by molecular beam epitaxy p171
Azevedo, J.L., Neves, G., Baptista, A., and Abreu Santos, H. Wave propagation modes in transferred electron devices: a phase-plane analysis p57

B

Baptista, A., Azevedo, J.L., Neves, G., and Abreu Santos, H. see Azevedo, J.L.
Barlow, P.S., Lazarus, M.J., Finney, A.D., and Davis, R.G. see Lazarus, M.J.
Board, K., and Al-Bustani, A. see Al-Bustani, A.
Board, K., and McCowen, A. see McCowen, A.
Brown, A.D., and Thomas, P.R. see Thomas, P.R.

C

Calligaro, R.B. Simple method to determine the Si/SiO_2 fast interface trap density change after high field stress on silicon-on-insulator substrates p156
Carter, P.M., and Wilkins, B.R. Alpha particle induced soft errors in NMOS RAMs: a review p32 e110
Chang, C.Y., Yarn, K.F., Wang, Y.H., Liou, C.P., and Jame, M.S. see Yarn, K.F.
Choi, W.K., Reynolds, S., Hajto, J., Owen, A.E., Snell, A.J., Rose, M.J., LeComber, P.G., and Spear, W.E. Transient current instabilities in *a*-Si : H p^+ni structures p1
Cohen, C., Wachtel, J.M., and Mitchell, H.B. see Wachtel, J.M.
Crosnier, Y., Gerard, H., and Salmer, G. Analysis and understanding of GaAs MESFET behaviour in power amplification p7

D

Davies, J.T., Walker, P., and Nuttall, K.I. Optimisation of VDMOS power transistors for minimum on-state resistance p87
Davis, R.G., Lazarus, M.J., Finney, A.D., and Barlow, P.S. see Lazarus, M.J.
Dorda, G., Miura-Mattausch, M., Schwerin, A.v., Weber, W., and Werner, C. see Miura-Mattausch, M.

E

Ettinger, G.M. Switching applications of hysteresis in magnetoresistive devices p75

F

Fernandes, C.F., and Abreu Santos, H. Numerical simulation of the dynamics of field impoverishment modes p148 e167
Finney, A.D., Lazarus, M.J., Davis, R.G., and Barlow, P.S. see Lazarus, M.J.
Fukui, H., Nagano, T., Kimura, S., and Yatsuo, T. see Nagano, T.

G

Georgoulas, N. Infra-red sensitivity of bulk-barrier diodes due to lattice defects p153
Gerard, H., Crosnier, Y., and Salmer, G. see Crosnier, Y.
Gribben, A., Tuohy, P., Walton, A.J., and Robertson, J.M. see Tuohy, P.

H

Hajto, J., Choi, W.K., Reynolds, S., Owen, A.E., Snell, A.J., Rose, M.J., LeComber, P.G., and Spear, W.E. see Choi, W.K.
Hamilton, D.K., and Wilson, T. Optical sectioning in infra-red scanning microscopy p85
Hardisty, H., and Abboud, J. Thermal analysis of a dual-in-line package using the finite-element method p23
Humphreys, M.J., and Nuttall, K.I. Control of avalanche injection in bipolar transistors through the use of graded collector impurity profiles p141

I

Ingham, T.L. Iterative boundary method for solving elliptic partial differential equations on a topologically rectangular domain, suitable for use in electron device simulation p174

J

Jame, M.S., Yarn, K.F., Wang, Y.H., Liou, C.P., and Chang, C.Y. see Yarn, K.F.

K

Kalkur, T.S., Nassibian, A.G., and Rose, A. Pulsed ruby laser diffusion of tin into GaAs p71
Kimura, S., Nagano, T., Yatsuo, T., and Fukui, H. see Nagano, T.
Krowne, C.M. Analytical method for selecting random scattering angle for polar or acoustic phonon scattering of central valley conduction band electrons in GaAs p45
Krowne, C.M. Perturbational solutions of the Boltzmann transport equation for n^+nn^+ structures p93

L

Lazarus, M.J., Finney, A.D., Davis, R.G., and Barlow, P.S. Substrate bias compensation of negative slope conductance in self heated MOSFETs p81
LeComber, P.G., Choi, W.K., Reynolds, S., Hajto, J., Owen, A.E., Snell, A.J., Rose, M.J., and Spear, W.E. see Choi, W.K.
Liou, C.P., Yarn, K.F., Wang, Y.H., Jame, M.S., and Chang, C.Y. see Yarn, K.F.

M

McCowen, A., and Board, K. Gate controlled bulk-barrier mechanism in an MOS power transistor p168
McGillivray, I.G., Robertson, J.M., and Walton, A.J. Automatic measurement of minority carrier lifetimes in silicon for nonuniformed doped samples using the Zerbst method p161
Misawa, Y., Murakami, S., and Momma, N. see Murakami, S.
Mitchell, H.B., Wachtel, J.M., and Cohen, C. see Wachtel, J.M.
Miura-Mattausch, M., Schwerin, A.v., Weber, W., Werner, C., and Dorda, G. Gate currents in thin oxide MOSFETs p111
Momma, N., Murakami, S., and Misawa, Y. see Murakami, S.
Murakami, S., Misawa, Y., and Momma, N. Surface field reduction for planar semiconductor devices using oxygen doped amorphous silicon p123

N

Nagano, T., Kimura, S., Yatsuo, T., and Fukui, H. Increase in sustaining voltage of gate-turnoff thyristors by an innovative floating gate structure p77
Nassibian, A.G., Kalkur, T.S., and Rose, A. see Kalkur, T.S.
Neves, G., Azevedo, J.L., Baptista, A., and Abreu Santos, H. see Azevedo, J.L.
Nuttall, K.I., Davies, J.T., and Walker, P. see Davies, J.T.
Nuttall, K.I., and Humphreys, M.J. see Humphreys, M.J.

O

Owen, A.E., Choi, W.K., Reynolds, S., Hajto, J., Snell, A.J., Rose, M.J., LeComber, P.G., and Spear, W.E. see Choi, W.K.

R

Rees, P.K., and Al-Bustani, A.A. see Al-Bustani, A.A.
Reynolds, S., Choi, W.K., Hajto, J., Owen, A.E., Snell, A.J., Rose, M.J., LeComber, P.G., and Spear, W.E. see Choi, W.K.
Robertson, J.M., McGillivray, I.G., and Walton, A.J. see McGillivray, I.G.
Robertson, J.M., Tuohy, P., Gribben, A., and Walton, A.J. see Tuohy, P.
Rockett, P.I. Simple technique to improve the computational efficiency of Monte Carlo carrier transport simulations in semiconductors p101
Rose, A., Kalkur, T.S., and Nassibian, A.G. see Kalkur, T.S.
Rose, M.J., Choi, W.K., Reynolds, S., Hajto, J., Owen, A.E., Snell, A.J., LeComber, P.G., and Spear, W.E. see Choi, W.K.

S

Salmer, G., Crosnier, Y., and Gerard, H. see Crosnier, Y.
Schwerin, A.v., Miura-Mattausch, M., Weber, W., Werner, C., and Dorda, G. see Miura-Mattausch, M.
Snell, A.J., Choi, W.K., Reynolds, S., Hajto, J., Owen, A.E., Rose, M.J., LeComber, P.G., and Spear, W.E. see Choi, W.K.
Spear, W.E., Choi, W.K., Reynolds, S., Hajto, J., Owen, A.E., Snell, A.J., Rose, M.J., and LeComber, P.G. see Choi, W.K.

T

Thomas, P.R., and Brown, A.D. Efficient design rule checking using a scanline algorithm p63
Tuohy, P., Gribben, A., Walton, A.J., and Robertson, J.M. Realistic worst-case parameters for circuit simulation p137

W

Wachtel, J.M., Mitchell, H.B., and Cohen, C. Measurement and computation of nonlinear saturation in gyrotron tubes p105
Walker, P., Davies, J.T., and Nuttall, K.I. see Davies, J.T.
Walton, A.J., McGillivray, I.G., and Robertson, J.M. see McGillivray, I.G.
Walton, A.J., Tuohy, P., Gribben, A., and Robertson, J.M. see Tuohy, P.
Wang, Y.H., Yarn, K.F., Liou, C.P., Jame, M.S., and Chang, C.Y. see Yarn, K.F.
Webb, P.W. Measurement of thermal resistance using electrical methods p51
Weber, W., Miura-Mattausch, M., Schwerin, A.v., Werner, C., and Dorda, G. see Miura-Mattausch, M.
Werner, C., Miura-Mattausch, M., Schwerin, A.v., Weber, W., and Dorda, G. see Miura-Mattausch, M.
Wilkins, B.R., and Carter, P.M. see Carter, P.M.
Wilson, T., and Hamilton, D.K. see Hamilton, D.K.

Y

Yarn, K.F., Wang, Y.H., Liou, C.P., Jame, M.S., and Chang, C.Y. Effects of the third-electrode positions on three-terminal GaAs $p^+n^-\delta(p^+)n^-n^+$ switching devices p129
Yatsuo, T., Nagano, T., Kimura, S., and Fukui, H. see Nagano, T.

Subject index

ALGORITHMS

Efficient design rule checking using a scanline algorithm. P.R Thomas and A.D. Brown p63

BIPOLAR TRANSISTORS

Control of avalanche injection in bipolar transistors through the use of graded collector impurity profiles. M.J. Humphreys and K.I. Nuttall p141

COMPUTER-AIDED DESIGN

Modelling the DC characteristics of thyristors for computer-aided design. M.T. Abuelma'atti p159

DESIGN

Realistic worst-case parameters for circuit simulation. P. Tuohy, A. Gribben, A.J. Walton and J.M. Robertson p137

DIODES

Bulk unipolar diodes in the limit of large *p*-region widths. A. Al-Bustani and K. Board p17

Infra-red sensitivity of bulk-barrier diodes due to lattice defects. N. Georgoulas p153

Perturbational solutions of the Boltzmann transport equation for n^+nn^+ structures. C.M. Krowne p93

Surface field reduction for planar semiconductor devices using oxygen doped amorphous silicon S. Murakami, Y. Misawa and N. Momma p123

ELECTRON DEVICES

Analytical method for selecting random scattering angle for polar or acoustic phonon scattering of central valley conduction band electrons in GaAs. C.M. Krowne p45

Measurement and computation of nonlinear saturation in gyrotron tubes. J.M. Wachtel, H.B. Mitchell and C. Cohen p105

Perturbational solutions of the Boltzmann transport equation for n^+nn^+ structures. C.M. Krowne p93

Wave propagation modes in transferred electron devices: a phase-plane analysis. J.L. Azevedo, G. Neves, A. Baptista and H. Abreu Santos p57

ERRORS AND ERROR ANALYSIS

Alpha particle induced soft errors in NMOS RAMs: a review. P.M. Carter and B.R. Wilkins p32 e110

FIELD-EFFECT TRANSISTORS

Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer p7

Gate currents in thin oxide MOSFETs. M. Miura-Mattausch, A.v. Schwerin, W. Weber, C. Werner and G. Dorda p111

Pulsed ruby laser diffusion of tin into GaAs. T.S. Kalkur, A.G. Nassibian and A. Rose p71

Substrate bias compensation of negative slope conductance in self heated MOSFETs. M.J. Lazarus, A.D. Finney, R.G. Davis and P.S. Barlow p81

HYSTERESIS

Switching applications of hysteresis in magnetoresistive devices. G.M. Ettinger p75

INTEGRATED CIRCUITS

Efficient design rule checking using a scanline algorithm. P.R. Thomas and A.D. Brown p63

Thermal analysis of a dual-in-line package using the finite-element method. H. Hardisty and J. Abboud p23

LASERS

Pulsed ruby laser diffusion of tin into GaAs. T.S. Kalkur, A.G. Nassibian and A. Rose p71

MAGNETIC DEVICES AND PROPERTIES

Switching applications of hysteresis in magnetoresistive devices. G.M. Ettinger p75

MATHEMATICAL TECHNIQUES

Iterative boundary method for solving elliptic partial differential equations on a topologically rectangular domain, suitable for use in electron device simulation. T.L. Ingham p174

Thermal analysis of a dual-in-line package using the finite-element method. H. Hardisty and J. Abboud p23

Wave propagation modes in transferred electron devices: a phase-plane analysis. J.L. Azevedo, G. Neves, A. Baptista and H. Abreu Santos p57

MEASUREMENT AND MEASURING

Automatic measurement of minority carrier lifetimes in silicon for nonuniformed doped samples using the Zerbst method. I.G. McGillivray, J.M. Robertson and A.J. Walton p161

Measurement and computation of nonlinear saturation in gyrotron tubes. J.M. Wachtel, H.B. Mitchell and C. Cohen p105

Measurement of thermal resistance using electrical methods. P.W. Webb p51

Simple method to determine the Si/SiO_2 fast interface trap density change after high field stress on silicon-on-insulator substrates. R.B. Calligaro p156

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Gate currents in thin oxide MOSFETs. M. Miura-Mattausch, A.v. Schwerin, W. Weber, C. Werner and G. Dorda p111

Optimisation of VDMOS power transistors for minimum on-state resistance. J.T. Davies, P. Walker and K.I. Nuttall p87

Substrate bias compensation of negative slope conductance in self heated MOSFETs. M.J. Lazarus, A.D. Finney, R.G. Davis and P.S. Barlow p81

MICROSCOPES

Optical sectioning in infra-red scanning microscopy. D.K. Hamilton and T. Wilson p85

MODELLING

Bulk unipolar transistors in the limit of nonpunch-through. A. Al-Bustani p116

Gate currents in thin oxide MOSFETs. M. Miura-Mattausch, A.v. Schwerin, W. Weber, C. Werner and G. Dorda p111

Iterative boundary method for solving elliptic partial differential equations on a topologically rectangular domain, suitable for use in electron device simulation. T.L. Ingham p174

Modelling the DC characteristics of thyristors for computer-aided design. M.T. Abuelma'atti p159

Perturbational solutions of the Boltzmann transport equation for n^+nn^+ structures. C.M. Krowne p93

Simple technique to improve the computational efficiency of Monte Carlo carrier transport simulations in semiconductors. P.I. Rockett p101

NUMERICAL ANALYSIS

Analytical method for selecting random scattering angle for polar or acoustic phonon scattering of central valley conduction band electrons in GaAs. C.M. Krowne p45

Numerical simulation of the dynamics of field impoverishment modes. C.F. Fernandes and H. Abreu Santos p148 e167

OPTICAL MATERIALS

Infra-red sensitivity of bulk-barrier diodes due to lattice defects. N. Georgoulas p153

OPTICAL PROCESSING

Optical sectioning in infra-red scanning microscopy. D.K. Hamilton and T. Wilson p85

OPTIMISATION

Optimisation of VDMOS power transistors for minimum on-state resistance. J.T. Davies, P. Walker and K.I. Nuttall p87

OSCILLATORS

Measurement and computation of nonlinear saturation in gyrotron tubes. J.M. Wachtel, H.B. Mitchell and C. Cohen p105

RELIABILITY

Control of avalanche injection in bipolar transistors through the use of graded collector impurity profiles. M.J. Humphreys and K.I. Nuttall p141

Measurement of thermal resistance using electrical methods. P.W. Webb p51

SEMICONDUCTOR DEVICES AND MATERIALS

Alpha particle induced soft errors in NMOS RAMs: a review. P.M. Carter and B.R. Wilkins p32 e110

Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer p7

Analytical method for selecting random scattering angle for polar or acoustic phonon scattering of central valley conduction band electrons in GaAs. C.M. Krowne p45

Automatic measurement of minority carrier lifetimes in silicon for nonuniformed doped samples using the Zerbst method. I.G. McGillivray, J.M. Robertson and A.J. Walton p161

Bulk unipolar diodes in the limit of large *p*-region widths. A. Al-Bustani and K. Board p17

Bulk unipolar transistors in the limit of nonpunch-through. A. Al-Bustani p116

Effects of the third-electrode positions on three-terminal GaAs $p^+n^-\delta(p^+)n^-n^+$ switching devices. K.F. Yarn, Y.H. Wang, C.P. Liou, M.S. Jame and C.Y. Chang p129

Gate controlled bulk-barrier mechanism in an MOS power transistor. A. McCowen and K. Board p168

Increase in sustaining voltage of gate-turnoff thyristors by an innovative floating gate structure. T. Nagano, S. Kimura, T. Yatsuo and H. Fukui p77

Iterative boundary method for solving elliptic partial differential equations on a topologically rectangular domain, suitable for use in electron device simulation. T.L. Ingham p174

Measurement of thermal resistance using electrical methods. P.W. Webb p51

Numerical simulation of the dynamics of field impoverishment modes. C.F. Fernandes and H. Abreu Santos p148 e167

Optical sectioning in infra-red scanning microscopy. D.K. Hamilton and T. Wilson p85

Perturbational solutions of the Boltzmann transport equation for n^+nn^+ structures. C.M. Krowne p93

Pulsed ruby laser diffusion of tin into GaAs. T.S. Kalkur, A.G. Nassibian and A. Rose p71

Simple method to determine the Si/SiO_2 fast interface trap density change after high field stress on silicon-on-insulator substrates. R.B. Calligaro p156

Simple technique to improve the computational efficiency of Monte Carlo carrier transport simulations in semiconductors. P.I. Rockett p101

Substrate bias compensation of negative slope conductance in self heated MOSFETs. M.J. Lazarus, A.D. Finney, R.G. Davis and P.S. Barlow p81

Surface field reduction for planar semiconductor devices using oxygen doped amorphous silicon. S. Murakami, Y. Misawa and N. Momma p123

Transient current instabilities in *a*-Si : H p^+ni structures. W.K. Choi, S. Reynolds, J. Hajto, A.E. Owen, A.J. Snell, M.J. Rose, P.G. LeComber and W.E. Spear p1

Versatile GaAs triangular barrier transistor structure grown by molecular beam epitaxy. A.A. Al-Bustani and P.K. Rees p171

SIMULATION

Numerical simulation of the dynamics of field impoverishment modes. C.F. Fernandes and H. Abreu Santos p148 e167
Realistic worst-case parameters for circuit simulation. P. Tuohy, A. Gribben, A.J. Walton and J.M. Robertson p137
Simple technique to improve the computational efficiency of Monte Carlo carrier transport simulations in semiconductors. P.I. Rockett p101

SWITCHES AND SWITCHING THEORY

Effects of the third-electrode positions on three-terminal GaAs $p^+n^-\delta(p^+)n^-n^+$ switching devices. K.F. Yarn, Y.H. Wang, C.P. Liou, M.S. Jame and C.Y. Chang p129
Switching applications of hysteresis in magnetoresistive devices. G.M. Ettinger p75
Transient current instabilities in *a*-Si : H p^+ni structures. W.K. Choi, S. Reynolds, J. Hajto, A.E. Owen, A.J. Snell, M.J. Rose, P.G. LeComber and W.E. Spear p1

THYRISTORS

Increase in sustaining voltage of gate-turnoff thyristors by an innovative floating gate structure. T. Nagano, S. Kimura, T. Yatsuo and H. Fukui p77
Modelling the DC characteristics of thyristors for computer-aided design. M.T. Abuelma'atti p159

TRANSIENTS

Transient current instabilities in *a*-Si : H p^+ni structures. W.K. Choi, S. Reynolds, J. Hajto, A.E. Owen, A.J. Snell, M.J. Rose, P.G. LeComber and W.E. Spear p1

TRANSISTORS

Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer p7
Bulk unipolar transistors in the limit of nonpunch-through. A. Al-Bustani p116
Gate controlled bulk-barrier mechanism in an MOS power transistor. A. McCowen and K. Board p168
Gate currents in thin oxide MOSFETs. M. Miura-Mattausch, A.v. Schwerin, W. Weber, C. Werner and G. Dorda p111
Optimisation of VDMOS power transistors for minimum on-state resistance. J.T. Davies, P. Walker and K.I. Nuttall p87
Pulsed ruby laser diffusion of tin into GaAs. T.S. Kalkur, A.G. Nassibian and A. Rose p71
Realistic worst-case parameters for circuit simulation. P. Tuohy, A. Gribben, A.J. Walton and J.M. Robertson p137
Surface field reduction for planar semiconductor devices using oxygen doped amorphous silicon. S. Murakami, Y. Misawa and N. Momma p123
Versatile GaAs triangular barrier transistor structure grown by molecular beam epitaxy. A.A. Al-Bustani and P.K. Rees p171

VERY LARGE SCALE INTEGRATION

Alpha particle induced soft errors in NMOS RAMs: a review. P.M. Carter and B.R. Wilkins p32 e110
Efficient design rule checking using a scanline algorithm. P.R. Thomas and A.D. Brown p63
Thermal analysis of a dual-in-line package using the finite-element method. H. Hardisty and J. Abboud p23

Book reviews

Microcircuit technology D.F. Horne p92
Rate equations in semiconductor electronics. J.E. Carroll p176